

CERTIFICATE OF CONFORMITY



ApprovalMark International hereby grants:

ACU-TECH PTY LTD

119 Kelvin Road Maddington, WA 6109 Australia

ISO Type 5 Certificate of Conformity

Evaluated to:

AS/NZS 4130:2018 – Polyethylene (PE) pipes for pressure applications

The ISO Type 5 License shall comply with all the terms and conditions as stipulated by the governance of the operating rules of the ISO Type 5 Scheme and shall comply with the standard requirements at all times including when the standard is amended. The ISO Type 5 License only covers the product which is identified in the attached product schedule.

Certificate No. AMI 74541

Issued: 5th December 2023 Original Issue: 5th December 2013

Expires: 5th December 2026

John PRASAD

Director

ApprovalMark International Pty Ltd 18/33 Holbeche Road, Arndell Park 2148, Australia www.approvalmark.com





Registered by: ApprovalMark International Pty Ltd (ABN 69 143 259 974) Unit 18, 33 Holbeche Road, Arndell Park NSW 2148 Australia. The assessment was carried with appropriate skill and assessment by ApprovalMark International Pty Ltd, however it will only accept its responsibility for proven negligence. The certificate remains the property of ApprovalMark International Pty Ltd.



Product Schedule

ACU-TECH PTY LTD

119 Kelvin Road Maddington, WA 6109 Australia

ISO Type 5 Certificate of Conformity

Evaluated to:

AS/NZS 4130:2018 - Polyethylene (PE) pipes for pressure applications

Model				
ID	Model Name	Brand Name	Product Description	Endorsement Date
PBK	Black PE Pipe DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-BLACK™	Black Pipe SDR7.4, 9, 11, 13.6, 17, 21, 26, 33 & 41	18 th December 2020
PBS	Black PE Pipe with Blue Stripe DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-WATER™	Black Pipe Blue Stripe SDR7.4, 9, 11, 13.6	18 th December 2020
PRS	Black PE Pipe with Red Stripe DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-FIRE™	Black Pipe Red Stripe SDR7.4, 9, 11	18 th December 2020
PWJ	Black PE Pipe with White Jacket DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-THERM™	Black Pipe White Jacket SDR7.4, 9, 11, 13.6, 17, 21, 26, 33 & 41	18 th December 2020
PYJ	Black PE Pipe with Yellow Jacket DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-GAS™	Black Pipe Yellow Jacket SDR7.4, 9, 11, 13.6, 17	18 th December 2020
PLJ	Black PE Pipe with Lilac Jacket DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	RECYCLE-TECH™	Black Pipe Lilac Stripe SDR7.4, 9, 11, 13.6, 17, 21, 26, 33 & 41	18 th December 2020
PAJ	Black PE Pipe with Aqua Jacket DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-AIR™	Black Pipe Aqua Jacket SDR7.4, 9, 11	18 th December 2020
PCJ	Black PE Pipe with Cream Jacket DN63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	ACU-SEWER™	Black Pipe Cream Jacket SDR7.4, 9, 11, 13.6, 17, 21, 26, 33 & 41	18 th December 2020
PWL	Black PE Pipe with Lilac Stripe on White Jacket DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	RECYCLE-THERM™	Black Pipe Lilac Stripe on White Jacket SDR7.4, 9, 11, 13.6, 17	18 th December 2020



Product Schedule

Model ID	Model Name	Brand Name	Product Description	Endorsement Date
PYS	Black PE Pipe with Yellow Stripe DN20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560, 630, 710 & 800	Acu-Gas	Black Pipe Yellow Stripe SDR7.4, 9, 11, 13.6, 17	25 th July 2022

_____End of record _____

Certificate No. AMI 74541

The models identified above in the schedule are endorsed for ISO Type 5 application only.